



Appendix E PARTIAL PERIMETER DETAILS




PLAN

1



**SECTION ALONG (E) EXTERIOR WALL
 BETWEEN (N) FOUNDATIONS**

A



ALTERNATE 1 /

(E) PERIMETER GIRDER SPLICE


2

(E) PERIMETER GIRDER SPLICE

1

MINIMUM FOUNDATION DIMENSIONS					# OF STORIES	MINIMUM VERTICAL REINFORCING
# OF STORIES	W	F	D ¹	T	1	4-#4 IN EA. 8'-0" SECTION, 30" O.C. MAX.
1	15"	7"	12"	6"	2	7-#4 IN EA. 12'-0" SECTION, 24" O.C. MAX.
2	15"	7"	18"	8"		

¹ WHERE FROST CONDITIONS OCCUR, THE MIN. DEPTH SHALL EXTEND BELOW FROST LINE




SECTION ALONG LONGITUDINAL WALL @ (N) FOUNDATION / CRIPPLE WALL

B

# OF STORIES	W	F	D ¹	T
1	15"	7"	12"	6"
2	15"	7"	18"	8"



H	VERTICAL	HORIZONTAL LAP 24" @ CORNERS
≤ 24"	#4 @ 24" O.C.	#4 CONT. @ TOP OF STEM WALL
> 24" ≤ 54"	#4 @ 24" O.C.	#4 @ 16" O.C.


¹ WHERE FROST CONDITIONS OCCUR, THE MIN. DEPTH SHALL EXTEND BELOW FROST LINE.



SECTION - MASONRY STEM WALL ALTERNATE


B






SECTION ALONG TRANSVERSE WALL @ GIRDER INTERSECTING (N) CRIPPLE WALL


C





TRANSVERSE WALL TOP PLATE SPLICE @ GIRDER

1











SECTION @ FF
VERTICAL PANEL JOINT



DETAIL G



DETAIL G ALTERNATE

